

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

40843 - Lötzinn bleifrei, Ø 1,0 mm, 17 g
40844 - Lötzinn bleifrei, Ø 1,0 mm, 100 g
40845 - Lötzinn bleifrei, Ø 1,0 mm, 250 g
40846 - Lötzinn bleifrei, Ø 1,0 mm, 500 g
40848 - Lötzinn bleifrei, Ø 1,5 mm, 250 g
40849 - Lötzinn bleifrei, Ø 1,5 mm, 500 g
40850 - Lötzinn bleifrei, Ø 0,56 mm, 100 g
40851 - Lötzinn bleifrei, Ø 0,56 mm, 250 g

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Metal soldering

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Wentronic GmbH

Pillmannstraße 12

38112 Braunschweig

Tel.: +49 (0)531 2 10 58 - 0

Fax: +49 (0)531 2 10 58 - 743

Homepage: www.wentronic.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (WEC)

+1 872 5888271 (WEC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 15.04.2025 / 0003

Replacing version dated / version: 04.05.2023 / 0002

Valid from: 15.04.2025

PDF print date: 15.04.2025

40843 – Lötzinn bleifrei, Ø 1,0 mm, 17 g

40844 – Lötzinn bleifrei, Ø 1,0 mm, 100 g

40845 – Lötzinn bleifrei, Ø 1,0 mm, 250 g

40846 - Lötzinn bleifrei, Ø 1,0 mm, 500 g

40848 - Lötzinn bleifrei, Ø 1,5 mm, 250 g

40849 - Lötzinn bleifrei, Ø 1,5 mm, 500 g

40850 - Lötzinn bleifrei, Ø 0,56 mm, 100 g

40851 - Lötzinn bleifrei, Ø 0,56 mm, 250 g

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

Tin	
Registration number (REACH)	---
Index	---
EINECS, ELINCS, NLP, REACH-IT List-No.	231-141-8
CAS	7440-31-5
content %	90-<100
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	---

Copper	
Registration number (REACH)	---
Index	---
EINECS, ELINCS, NLP, REACH-IT List-No.	231-159-6
CAS	7440-50-8
content %	0,5-0,9
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	---

Silver massive	
Registration number (REACH)	---
Index	047-004-00-9
EINECS, ELINCS, NLP, REACH-IT List-No.	231-131-3
CAS	7440-22-4
content %	0,2-<0,4
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Repr. 2, H361f STOT RE 2, H373 (nervous system)

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 15.04.2025 / 0003

Replacing version dated / version: 04.05.2023 / 0002

Valid from: 15.04.2025

PDF print date: 15.04.2025

40843 – Lötzinn bleifrei, Ø 1,0 mm, 17 g

40844 – Lötzinn bleifrei, Ø 1,0 mm, 100 g

40845 – Lötzinn bleifrei, Ø 1,0 mm, 250 g

40846 - Lötzinn bleifrei, Ø 1,0 mm, 500 g

40848 - Lötzinn bleifrei, Ø 1,5 mm, 250 g

40849 - Lötzinn bleifrei, Ø 1,5 mm, 500 g

40850 - Lötzinn bleifrei, Ø 0,56 mm, 100 g

40851 - Lötzinn bleifrei, Ø 0,56 mm, 250 g

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air.

Skin contact

Normally not irritating to skin.

In the event of contact with the hot product:

Cool with cold water.

Do not pull solidified product from the skin.

Cover burns aseptically.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Typically no exposure pathway.

Medical attention recommended.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

CO₂

Extinction powder

Sand

Metal fire extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Metal oxides

Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

No special measures required.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

Prevent from entering drainage system.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

Allow the hot product to solidify.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

During processing:

Ensure good ventilation.

Avoid contact with eyes or skin.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

For activities involving hazardous substances, a description of suitable protective measures and an effectiveness check are carried out as part of the risk assessment.

There may be activity-specific and substance-specific requirements, these must be checked.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	Copper
WEL-TWA: 1 mg/m3 (dusts and mists, as Cu)	WEL-STEL: 2 mg/m3 (dusts and mists, as Cu) ---
Monitoring procedures:	<p>ISO 15202 (Workplace air - Determination of metals and metalloids in airborne particulate matter by Inductively Coupled Plasma Atomic Emission Spectrometry), Part 1-3 - 2012(Part 1), 2012(Part 2), 2004 (Part 3) - EU project BC/CEN/ENTR/000/2002-16 card 84-1 (2004)</p> <p>MDHS 91/2 (Metals and metalloids in workplace air by X-ray fluorescence spectrometry) - 2015 - EU project BC/CEN/ENTR/000/2002-16 card 84-2 (2004)</p> <p>NIOSH 7029 (Copper (dust and fume)) - 1994</p> <p>NIOSH 7300 (ELEMENTS by ICP (Nitric/Perchloric Acid Ashing)) - 2003</p> <p>NIOSH 7301 (Elements by ICP (aqua regia ashing)) - 2003</p> <p>NIOSH 7303 (Elements by ICP (Hot block HCl/HNO3 digestion)) - 2003</p> <p>OSHA ID-121 (Metal and metalloid particulates in workplace atmospheres (Atomic absorption)) - 2002 - EU project BC/CEN/ENTR/000/2002-16 card 84-10 (2004)</p> <p>OSHA ID-125G (Metal and metalloid particulates in workplace atmospheres (ICP)) - 2002</p> <p>OSHA ID-206 (ICP analysis of metal/metalloid particulates from solder operations) - 1991</p>

BMGV: ---	Other information: ---
-----------	------------------------

Chemical Name		Silver massive	
WEL-TWA: 0,1 mg/m3 (metallic) (WEL-TWA, EU)		WEL-STEL: ---	---
Monitoring procedures:		---	
BMGV: ---		Other information: ---	

Chemical Name		general dust limit	
WEL-TWA: 10 mg/m3 (inhal. dust), 4 mg/m3 (respir. dust)		WEL-STEL: ---	---
Monitoring procedures:		---	
BMGV: ---		Other information: ---	

Copper						
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	7,8	µg/l	
	Environment - marine		PNEC	5,2	µg/l	
	Environment - sewage treatment plant		PNEC	230	µg/l	
	Environment - sediment, freshwater		PNEC	87	mg/kg dw	
	Environment - sediment, marine		PNEC	676	mg/kg dw	
	Environment - soil		PNEC	65	mg/kg dw	
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	18,2	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	137	mg/kg bw/day	
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	273	mg/kg bw/day	

GB - United Kingdom | WEL-TWA = Workplace Exposure Limit - Long-term exposure limit - 8-hour TWA (= time weighted average) reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(8) = Inhalable fraction (2004/37/CE, 2017/164/EU). (9) = Respirable fraction (2004/37/CE, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). |

| WEL-STEL = Workplace Exposure Limit - Short-term exposure limit - 15-minute reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |

| BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |

| Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU or 2024/869/EU:

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (98/24/EC, 2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE), (15) = Substantial contribution to the total body burden via dermal exposure possible. |

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Protective nitrile gloves (EN ISO 374).

Minimum layer thickness in mm:

0,4

Permeation time (penetration time) in minutes:

> 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

If applicable

Leather gloves.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:

Solid

Colour:

Grey, Silver

Odour:

Odourless

Melting point/freezing point:

217-227 °C

Boiling point or initial boiling point and boiling range:

There is no information available on this parameter.

Flammability:

There is no information available on this parameter.

Lower explosion limit:

Does not apply to solids.

40843 – Lötzinn bleifrei, Ø 1,0 mm, 17 g

40844 – Lötzinn bleifrei, Ø 1,0 mm, 100 g

40845 – Lötzinn bleifrei, Ø 1,0 mm, 250 g

40846 - Lötzinn bleifrei, Ø 1,0 mm, 500 g

40848 - Lötzinn bleifrei, Ø 1,5 mm, 250 g

40849 - Lötzinn bleifrei, Ø 1,5 mm, 500 g

40850 - Lötzinn bleifrei, Ø 0,56 mm, 100 g

40851 - Lötzinn bleifrei, Ø 0,56 mm, 250 g

Upper explosion limit:

Flash point:

Auto-ignition temperature:

Decomposition temperature:

pH:

Kinematic viscosity:

Solubility:

Partition coefficient n-octanol/water (log value):

Vapour pressure:

Density and/or relative density:

Relative vapour density:

Particle characteristics:

9.2 Other information

Explosives:

Oxidizing solids:

Does not apply to solids.

Does not apply to solids.

Does not apply to solids.

There is no information available on this parameter.

Mixture is non-soluble (in water).

There is no information available on this parameter.

Insoluble

Does not apply to mixtures.

There is no information available on this parameter.

7,3 g/cm³ (20°C)

Does not apply to solids.

There is no information available on this parameter.

Product is not explosive.

No

SECTION 10: Stability and reactivity**10.1 Reactivity**

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

See also section 7.

None known

10.5 Incompatible materials

See also section 7.

Avoid contact with strong alkalis.

Avoid contact with strong oxidizing agents.

Avoid contact with strong acids.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Possibly more information on health effects, see Section 2.1 (classification).

40843 – Lötzinn bleifrei, Ø 1,0 mm, 17 g

40844 – Lötzinn bleifrei, Ø 1,0 mm, 100 g

40845 – Lötzinn bleifrei, Ø 1,0 mm, 250 g

40846 - Lötzinn bleifrei, Ø 1,0 mm, 500 g

40848 - Lötzinn bleifrei, Ø 1,5 mm, 250 g

40849 - Lötzinn bleifrei, Ø 1,5 mm, 500 g

40850 - Lötzinn bleifrei, Ø 0,56 mm, 100 g

40851 - Lötzinn bleifrei, Ø 0,56 mm, 250 g

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.

Respiratory or skin sensitisation:						n.d.a.
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Tin						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Skin corrosion/irritation:						Not irritant
Serious eye damage/irritation:						Not irritant
Respiratory or skin sensitisation:						Not sensitizing
Aspiration hazard:						No

Copper						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Skin corrosion/irritation:						Not irritant
Serious eye damage/irritation:						Not irritant
Respiratory or skin sensitisation:						No (skin contact)
Symptoms:						abdominal pain, vomiting, weight loss, headaches, metal fume fever

11.2. Information on other hazards

40843 – Lötzinn bleifrei, Ø 1,0 mm, 17 g 40844 – Lötzinn bleifrei, Ø 1,0 mm, 100 g 40845 – Lötzinn bleifrei, Ø 1,0 mm, 250 g 40846 - Lötzinn bleifrei, Ø 1,0 mm, 500 g 40848 - Lötzinn bleifrei, Ø 1,5 mm, 250 g 40849 - Lötzinn bleifrei, Ø 1,5 mm, 500 g 40850 - Lötzinn bleifrei, Ø 0,56 mm, 100 g 40851 - Lötzinn bleifrei, Ø 0,56 mm, 250 g						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting properties:						Does not apply to mixtures.
Other information:						No other relevant information available on adverse effects on health.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

40843 – Lötzinn bleifrei, Ø 1,0 mm, 17 g

40844 – Lötzinn bleifrei, Ø 1,0 mm, 100 g

40845 – Lötzinn bleifrei, Ø 1,0 mm, 250 g

40846 - Lötzinn bleifrei, Ø 1,0 mm, 500 g

40848 - Lötzinn bleifrei, Ø 1,5 mm, 250 g

40849 - Lötzinn bleifrei, Ø 1,5 mm, 500 g

40850 - Lötzinn bleifrei, Ø 0,56 mm, 100 g

40851 - Lötzinn bleifrei, Ø 0,56 mm, 250 g

40843 – Lötzinn bleifrei, Ø 1,0 mm, 17 g**40844 – Lötzinn bleifrei, Ø 1,0 mm, 100 g****40845 – Lötzinn bleifrei, Ø 1,0 mm, 250 g****40846 - Lötzinn bleifrei, Ø 1,0 mm, 500 g****40848 - Lötzinn bleifrei, Ø 1,5 mm, 250 g****40849 - Lötzinn bleifrei, Ø 1,5 mm, 500 g****40850 - Lötzinn bleifrei, Ø 0,56 mm, 100 g****40851 - Lötzinn bleifrei, Ø 0,56 mm, 250 g**

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to daphnia:							n.d.a.
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and degradability:							n.d.a.
12.3. Bioaccumulative potential:							n.d.a.
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT and vPvB assessment							n.d.a.
12.6. Endocrine disrupting properties:							Does not apply to mixtures.
12.7. Other adverse effects:							No information available on other adverse effects on the environment.

Tin							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance

Copper							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence and degradability:							Not relevant for inorganic substances.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

06 04 99 wastes not otherwise specified

17 04 07 mixed metals

20 01 40 Metals

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Implement substance recycling.

For contaminated packing material

Pay attention to local and national official regulations.

Recycling

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 15.04.2025 / 0003

Replacing version dated / version: 04.05.2023 / 0002

Valid from: 15.04.2025

PDF print date: 15.04.2025

40843 – Lötzinn bleifrei, Ø 1,0 mm, 17 g

40844 – Lötzinn bleifrei, Ø 1,0 mm, 100 g

40845 – Lötzinn bleifrei, Ø 1,0 mm, 250 g

40846 - Lötzinn bleifrei, Ø 1,0 mm, 500 g

40848 - Lötzinn bleifrei, Ø 1,5 mm, 250 g

40849 - Lötzinn bleifrei, Ø 1,5 mm, 500 g

40850 - Lötzinn bleifrei, Ø 0,56 mm, 100 g

40851 - Lötzinn bleifrei, Ø 0,56 mm, 250 g

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es): Not applicable

14.4. Packing group: Not applicable

14.5. Environmental hazards: Not applicable

Tunnel restriction code: Not applicable

Classification code: Not applicable

LQ: Not applicable

Transport category: Not applicable

Transport by sea (IMDG-code)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es): Not applicable

14.4. Packing group: Not applicable

14.5. Environmental hazards: Not applicable

Marine Pollutant: Not applicable

EmS: Not applicable

Transport by air (IATA)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es): Not applicable

14.4. Packing group: Not applicable

14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): 0 %

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: 2, 3, 8, 11, 12, 16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 15.04.2025 / 0003

Replacing version dated / version: 04.05.2023 / 0002

Valid from: 15.04.2025

PDF print date: 15.04.2025

40843 – Lötzinn bleifrei, Ø 1,0 mm, 17 g

40844 – Lötzinn bleifrei, Ø 1,0 mm, 100 g

40845 – Lötzinn bleifrei, Ø 1,0 mm, 250 g

40846 - Lötzinn bleifrei, Ø 1,0 mm, 500 g

40848 - Lötzinn bleifrei, Ø 1,5 mm, 250 g

40849 - Lötzinn bleifrei, Ø 1,5 mm, 500 g

40850 - Lötzinn bleifrei, Ø 0,56 mm, 100 g

40851 - Lötzinn bleifrei, Ø 0,56 mm, 250 g

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.

H361f Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

Repr. — Reproductive toxicity

STOT RE — Specific target organ toxicity - repeated exposure

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, EpCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera

EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number

40843 – Lötzinn bleifrei, Ø 1,0 mm, 17 g

40844 – Lötzinn bleifrei, Ø 1,0 mm, 100 g

40845 – Lötzinn bleifrei, Ø 1,0 mm, 250 g

40846 - Lötzinn bleifrei, Ø 1,0 mm, 500 g

40848 - Lötzinn bleifrei, Ø 1,5 mm, 250 g

40849 - Lötzinn bleifrei, Ø 1,5 mm, 500 g

40850 - Lötzinn bleifrei, Ø 0,56 mm, 100 g

40851 - Lötzinn bleifrei, Ø 0,56 mm, 250 g

gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCILID International Uniform Chemical Information Database

IUPAC International Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

mg/kg bw mg/kg body weight

mg/kg bw/d, mg/kg bw/day mg/kg body weight/day

mg/kg dw mg/kg dry weight

mg/kg ww mg/kg wet weight

n.a. not applicable

n.av. not available

n.c. not checked

n.d.a. no data available

NIOSH National Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million

PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.

Page 13 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 15.04.2025 / 0003

Replacing version dated / version: 04.05.2023 / 0002

Valid from: 15.04.2025

PDF print date: 15.04.2025

40843 – Lötzinn bleifrei, Ø 1,0 mm, 17 g

40844 – Lötzinn bleifrei, Ø 1,0 mm, 100 g

40845 – Lötzinn bleifrei, Ø 1,0 mm, 250 g

40846 - Lötzinn bleifrei, Ø 1,0 mm, 500 g

40848 - Lötzinn bleifrei, Ø 1,5 mm, 250 g

40849 - Lötzinn bleifrei, Ø 1,5 mm, 500 g

40850 - Lötzinn bleifrei, Ø 0,56 mm, 100 g

40851 - Lötzinn bleifrei, Ø 0,56 mm, 250 g
